

Tiara
YACHTS

3 6 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JULY 30, 2006

3600 OPEN

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
36'5" - 11.0 meters

L.O.A. with Standard Pulpit ...
38'11" - 11.9 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 41'5" - 12.62 meters

Beam ... 13'3" - 4.04 meters

Draft (with Props) ... 3'5" - 1.04 meters

Approximate Dry Weight ...
19,100 lbs. - 8,663.6 kg

Height from Waterline to Top of
Windshield...8'9" - 2.67 meters

Height from Waterline to Top of
Optional Hardtop...9'10" - 2.99 meters

Standard Fuel Capacity ...
400 U.S. gallons - 1,514 liters

Sleeping Accommodations ... 5

Water Capacity ...
70 U.S. gallons - 265 liters

Holding Tank Capacity ...
30 U.S. gallons - 113.56 liters


Cockpit Size ...
Upper: 56 sq. ft. - 5.2 sq. meters
Lower: 72 sq. ft. - 6.7 sq. meters

Deadrise at Transom ... 18°

STANDARD EQUIPMENT

HULL, DECK AND UPPER COCKPIT

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended premium resin
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to hull
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside ventilation
- Bennett Marine® recessed trim tabs
- Black gelcoat bootline with gold accent
- Six S.S. oval custom opening port lights with screens
- Tiara custom diamond pattern non-skid deck and cockpit surfaces



- Molded-in fiberglass bow pulpit with S.S. roller system
 - Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm
 - Flush forward anchor rode locker with overboard drain
 - One (1) 8" S.S. foredeck cleat
 - One-piece welded, 316L S.S. bow rail with pulpit, staff, and Tiara burgee
 - Two (2) 10" 316L S.S. spring cleats
 - Four (4) 12" 316L S.S. cleats for bow and stern lines
 - Two (2) cockpit fender cleats
 - Black rubrail with 316L S.S. cap
 - Three flush cast aluminum and acrylic forward deck hatches with adjusters and built-in Ocean Air® screens and privacy covers
 - Tiara custom curved composite windshield with tempered safety glass, safety handrails, opening center section and 3 washers/wipers
 - Tiara hinged helm console with full flush mount electronics capability
 - 12V outlet at helm
 - Acrylic sliding companionway door with lock, built-in screen, and privacy cover
 - Fiberglass companion door shroud with molded-in navigation chart area and drink holders
 - Upper cockpit cool air helm blower
 - Drop-down engine room access hatch from the upper cockpit
 - Helm seat forward with center wet bar, storage below, and aft facing seat. Helm seat is electrically actuated fore and aft.
 - Port curved companion seat with jump seat, cooler, storage, and aft facing seat
 - 120V outlet
 - Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and 4 cockpit speakers
 - Plug-in port for MP3 player or IPOD
 - Helm/console and seat covers
- ### LOWER COCKPIT
- Fiberglass covering boards
 - Cockpit coaming bolsters
 - Two (2) chrome bronze corner hawse pipes
 - Molded-in transom door and gate
 - Molded-in cockpit steps, port and starboard
 - Transom fold-down lounge
 - Cockpit courtesy lights
 - Self-draining cockpit with scupper drains
 - Dockside water inlet
 - Fresh water washdown outlet with 25 ft. coiled blue hose
 - Raw water washdown outlet with 25 ft. coiled yellow hose
 - Cockpit shower, hot and cold water
 - Two (2) flush floor storage boxes
 - 120V outlet
- ### INTERIOR GROUP
- Mold and mildew resistant vinyl hull and headliner
 - Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
 - Teak hardwood floor
 - 12V lighting
 - 120V outlets throughout
- ### SALON
- Starboard U-shaped dinette with seating for 4-5, table with high gloss finish, and storage compartments below. Converts to single upper/lower berth and/or double lower berth with a backrest cushion serving as a filler cushion.

- Fiberglass companionway steps with teak hardwood tread and storage compartments below
- S.S. companionway handrail
- Overhead storage cabinets
- Majestic® 15" LCD TV with game port
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat
- Bose® 3-2-1 media system, includes DVD/CD player

GALLEY

- Corian® countertop
- Stainless steel undermount sink
- Recessed two-burner electric cooktop
- Exhaust fan
- Microwave oven
- 4.6 cu. ft. DC refrigerator with freezer
- Upper storage cabinets
- Under counter storage

MASTER STATEROOM

- Double pedestal berth with inner spring mattress, quilt, 2 pillow shams, and 6 throw pillows. Storage compartments under berth with manual actuator.
- Majestic® 15" flat screen LCD TV
- 12V DVD player
- Cable TV/phone outlet
- Port locker with 2 storage compartments
- Starboard hanging locker, cedar lined
- Hullside shelves and upper hullside storage cabinets, port and starboard
- Two reading lights, independently switched

HEAD

- Corian® countertop with integrated sink
- Storage compartment below sink
- Mirrored vanity above sink
- Full frame wood doors
- Vacu-flush® toilet with holding tank
- Full fiberglass head and shower curtain and shower sump pump
- Ventilation blower (drawing from salon)
- Exhaust fan

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system with master distribution panel
- Two (2) 120V 30 amp 65' shore power cords with 30 amp to 15 amp adapter
- Cable TV/phone inlet and cabin outlets with 65' shore power cord
- TV and AM/FM antennas
- Charles® battery charger (1), 50 amp
- 12V two bank battery system with batteries and battery switches (2 engine batteries and 3 house batteries)
- Battery parallel system
- Reverse polarity indicator
- High output 100 amp alternators
- Electrical bonding system
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system with 20" S.S. destroyer wheel
- Bronze axe head rudders and struts

- Aquamet® S.S. prop shafts, 1 1/2" Crusader®, 1 3/4" Cummins® 380, 2" Cummins® 425
- Water cooled shaft logs with PSS® dripless shaft seal
- Two Nibral® propellers
- Zincs, transom and shafts
- Engine engine instrumentation: Dual VDO® tachometers w/ hour meters, voltage gauges, fuel gauge, temperature gauges, engine oil pressure gauges, and rudder angle indicator. Cummins® engine options include voltage gauges, fuel gauge, and Smarcraft® engine monitoring display.
- Ritchie® 5" SS-2000 Navigator compass
- Three windshield wipers with washers
- Fresh water cooling, main engines
- Engine room insulation
- Racor® fuel filters/water separators (2), diesel only
- Raw water intake strainers (2)
- 12V engine room lights
- Electric engine hatch actuators
- Twin Vernay® mufflers
- Two bilge blowers
- Three automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: 1 forward, 1 mid, and 1 aft
- Composite fuel tank with electric gauge, 400 gallons
- Fresh water tank, 70 gallons
- Water heater with exchanger, 6 gallons
- Fresh water tank/holding tank monitor
- Air horn
- FE-241 agent fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Carbon monoxide detectors (2)
- Smoke detectors (2)
- Six 5/8" x 30' black dock lines
- Coast Guard Safety and Medical Kit
- Tiara Life Vests (4)
- NMMA Yacht Certification
- U.S.C.G. and International lighting
- U.S.C.G. and B.I.A. ventilation
- CE (European) Certification available for European Union countries

