

NEEL 43 Tariff January 2023-V1 / NEEL-TRIMARANS

QUOTATION / ORDER FORM :

Customer :

Email :

Tel :



NEEL 43 PRICE LIST € EXCL. TAX

Volvo 50 CV sail drive engine | Folding propeller | 1 set 3 batteries 495 A services 12 V | 1 battery Optima démarrage 12V de 50 A | Headsail halyard on lashing | Bathroom washbasin and shower hot / cold water | Reading lights with USB plug | Refrigerator 130 L | Pressurised hot and cold water | Water heater 40 L | Gas hob 2 burners and gas oven with grill | Top cupboard above kitchen pressure | 40 L water heater | 2-burner gas hob and gas oven with grill | Tall storage unit above galley | Cockpit dining table and saloon table | Gas and anchor lockers | 2-part trampoline | Anchor locker | Stainless steel anchor winch integrated under dolphin winch
| Bathing ladder | Tender lift with troughs Sandwich infusion composite construction | Hull gel coat light grey RAL 7047 | ALPI joinery

≡	TRI 43 001	NEEL 43 3 cabins	335 941	1	335 941
---	------------	---------------------------	---------	----------	---------

ADDITIONAL FACILITIES

≡	TRI 43 002	4 ^e Forward cabin port float	1 500	0	-
≡	TRI 43 003	5 ^e Forward cabin starboard float	1 500	0	-
≡	TRI 43 005	PREMIUM" pack	36 900	1	36 900
≡	TRI 43 006	PERFORMANCE Pack	167 800	0	-

PACK DESCRIPTION

PACK DESCRIPTION			PREMIUM	PERFORMANCE
≡	PACK 43 001/021	Battened mainsail on ball-bearing traveller	Dacron 2 reefs 57 m²	Proradial grey 3 reef 61 m² (1.5 m ²)
≡	PACK 43 002/022	Dacron furling genoa with UV strip	Dacron 43 m²	Proradial grey 43 m²
≡	PACK 43 003	Lazy bag	x	x
≡	PACK 43 004	12 V electric windlass with foot control	x	x
≡	PACK 43 005	Folding propeller	x	x
≡	PACK 43 006	Curtains in the cabins	x	x
≡	PACK 43 007	Upholstery in the cockpit and saloon	x	x
≡	PACK 43 008	Hot/cold water shower on port float skirt	x	x
≡	PACK 43 009	Black water tank	x	x
≡	PACK 43 010	LED navigation lights	x	x
≡	PACK 43 011	LED interior lighting	x	x

≡	PACK 43 012	Mooring kit (3 mooring lines and 6 fenders)	x	x
≡	PACK 43 013	Cockpit hardtop	x	x
≡	PACK 43 014	12 V bow thruster with dedicated batteries and charger	x	x
≡	PACK 43 015	230 V mains: 6 x 230 V sockets + 25 m shore power, service battery charger, engine battery charger	x	x
≡	PACK 43 016	Combi 230 V / 12 V power 2,000 W / 80 A	x	x
≡	PACK 43 017/030	Mooring kit - 50 m cable + 60 m chain + anchor :	Kobra 20 kg	Spade Alu 20 kg
≡	PACK 43 018	Audio Fusion Apollo 770	x	x
≡	PACK 43 019	Antifouling with epoxy primer	x	x
≡	PACK 43 020	Black painted carbon mast & black anodised aluminium boom, dyneema shrouds and lower shrouds		x
≡	PACK 43 023	Removable trinquette - 18 m ² - in Grey Proradial with storage bag		x
≡	PACK 43 024	3 KARVER winches (genoa & spinnaker) Extra Speed 46 manual, 1 KARVER winch (mainsail halyard) Extra Power 130, spinnaker sheets and pulleys		x
≡	PACK 43 025	Furling Genoa KARVER KRS30, Stay Sail Furling Gear on Detachable Forestay KARVER		x
≡	PACK 43 026	Structural partitions (3) and carbon roof pads		x
≡	PACK 43 027	Adjustable lazy-jacks, Dyneema overbraided Genoa underbody and halyard, moulded Dyneema core mainsail halyard, adjustable clew for headsails (2 chainplates, hook & tackle), black stanchions.		x
≡	PACK 43 028	NKE Electronics Pack : Loch/echosounder/windvane/Gyropilot 3 with remote control/GPS/ 12" screen - 1 VHF ICOM - AIS transmitter/receiver Repeaters		x
≡	PACK 43 029	Carbonautica 3 Y SPORT wheel bar, black, dia 800		x

SYNTHETIC TEAK				
≡	OPT 43 TS001	Cockpit and stern steps in synthetic teak	8 450	0 -
≡	OPT 43 TS002	Living room, kitchen, map table area in synthetic teak	3 980	0 -

EXTERIOR COMFORT				
■	OPT 43 CE001	Cockpit tent (removable)	5 300	0 -
■	OPT 43 CE002	Mosquito net cockpit tent extension	1 990	0 -
■	OPT 43 CE003	Helm station bimini	3 725	0 -
■	OPT 43 CE004	Complete removable flexible protection for helm station bimini (windscreen + side fastenings)	2 700	0 -
■	OPT 43 CE005	ENO Plancha® gas in the cockpit	1 980	0 -

INTERIOR COMFORT				
■	OPT 43 CI001	Electric fans (4 maximum) / price per fan	136	0 -
■	OPT 43 CI002	Sliding bay entrance curtains	290	0 -

■ OPT 43 CI003	Blackout Batyline for external glazing (White)	1 300	0	-
■ OPT 43 CI004	Pressurised seawater from cockpit	1 600	0	-
■ OPT 43 CI005	Ventilated foam mattress underlay for the 3 berths	800	0	-
■ OPT 43 CI006	Bolon square floor mat	890	1	890
■ OPT 43 CI007	Bolon carpets in the cabins (master, port, access steps to the central hull cabin and floor of the central hull cabin)	750	0	-
■ OPT 43 CI008	Night-time atmosphere: Dining room table convertible into a double bed with curtains in the dining room and curtains at the entrance door.	3 850	0	-
■ OPT 43 CI009	Glass partition between saloon and port float cabin	1 290	1	1 290
≡ OPT 43 CI010	Comfort Pack : <u>Master cabin:</u> canvas wardrobe replaced by joinery wardrobe, solid fargues (along the bed, on the front section), unglued Bolon floor <u>Front cabin:</u> Alpi panel at the head of the bed, shelves with Alpi cladding, Bolon floor <u>Port cabin:</u> Shelving unit in Alpi, floor in Bolon <u>Square:</u> Bolon floor, central Alpi ceiling, solid fargues in front of the map table, 6 storage bins	6 560	1	6 560
≡ OPT 43 CI011	SUPPLY ONLY of a 2-door cabinet Dimensions: length 700 mm, depth 250 mm and height 483 mm. With a high pocket and 2 doors opening onto 2 shelves (maximum 5 units).	800	0	-
≡ OPT 43 CI012	SUPPLY AND INSTALLATION of a set of 3 pieces of 2-door furniture Along the port cabin bed <i>Please note Bed reduced to 120 cm wide</i>	2 700	0	-
≡ OPT 43 CI013	SUPPLY AND INSTALLATION of a 2-door cabinet opposite the port cabin storage area	925	0	-
≡ OPT 43 CI014	SUPPLY AND INSTALLATION of furniture 2 doors alongside the master cabin bed	925	0	-

ENERGY

≡ OPT 43 EN001	6/7 KW generator (depending on supplier) + 3000 W / 120 A combi	17 100	0	-
■ OPT 43 EN002	Combi 3 000 W / 120 A instead of 2 000 W / 80 A	1 850	0	-
≡ OPT 43 EN003	Reversible forced-air air conditioning in lounge, cabins and bathroom (Requires generator)	18 400	0	-
■ OPT 43 EN004	Square forced-air heating in saloon, cabins and bathroom	6 855	0	-
■ OPT 43 EN005	12 V watermaker, flow rate 100 L/H	14 900	0	-
■ OPT 43 EN006	Additional water group	900	0	-
■ OPT 43 EN007	2 x solar panels on front roof total 312 w	4 220	0	-

OPTION 60Hz

≡ OPT 43 HZ601	Main network 60 HZ / 6 110 V sockets + batteries + gauges + switchboards (the water heater will be on 110 V) + 50 A shore power supply	3 800	0	-
≡ OPT 43 HZ602	Combi 2 000 W / 80 A	900	0	-
≡ OPT 43 HZ603	6/7 KW generator - 110 V / 50 HZ (depending on supplier) + quattro 3 000 W / 120 A	17 100	0	-
≡ OPT 43 HZ604	Quattro 3 000 W / 120 A	3 240	0	-

ELECTRONICS TV HIFI

■ OPT 43 EL001	B&G electronics pack Loch/fishfinder/windvane/pilot and the following displays: 1 VHF CORTEX with AIS combined with the inboard navigation station + 1 pilot control at the external helm station + 1 Triton at the outside helm station	12 500	0	-
■ OPT 43 EL002	Triton 2 pilot repeater at the indoor station	1 940	0	-
■ OPT 43 EL003	ZEUS 3S 9" screen at the card table	3 300	0	-
■ OPT 43 EL004	ZEUS 3S 9" display at the helm station	3 300	0	-
■ OPT 43 EL005	ZEUS 3S 12" screen at the chart table (not compatible with OPT 43 EL003)	4 950	0	-
■ OPT 43 EL006	ZEUS 3S 12" display at helm station (not compatible with OPT 43 EL004)	4 950	0	-
■ OPT 43 EL007	Wireless handset for VHF Cortex remote from the helm station	900	0	-
■ OPT 43 EL008	B&G Halo 20+ radar with bracket	3 970	0	-
■ OPT 43 EL009	Windlass control and chain counter on helm console	820	0	-

NAVIGATION				
≡ OPT 43 NA001	Performance rig: Black varnished carbon mast, black anodised aluminium boom, 1 dacron genoa on stainless steel monotor furler, 1 dacron mainsail with racing horn, compact cable shrouds and lower shrouds.	35 000	0	-
≡ OPT 43 NA009	Gennaker - 101 m² - and furling gear on KARVER removable forestay, reefed halyard and undersail for aluminium mast	12 150	0	-
≡ OPT 43 NA010	Gennaker - 101 m² - and furling gear on KARVER forestay, reefed halyard and undersail for carbon mast (requires OPT 43 NA001 OR PAK PERFORMANCE TRI 43 006)	12 480	0	-
≡ OPT 43 NA002	Asymmetric spinnaker - 150 m² - with sock for standard aluminium mast (requires OPT 43 NA004)	6 200	0	-
≡ OPT 43 NA003	Asymmetric spinnaker -150 m²- with sock for carbon mast (requires OPT 43 NA004 & OPT 43 NA001 OR PAK PERFORMANCE TRI 43 006)	7 530	0	-
≡ OPT 43 NA004	Deck fittings for spinnaker + 2 winches	2 240	1	2 240
≡ OPT 43 NA008	Removable Dacron trinquette - 18 m² - on furler with storage bag	4 250	0	-
≡ OPT 43 NA005	Electric winch in place of the external manual winch (halyard, mainsail sheet and reef)	2 325	1	2 325
≡ OPT 43 NA006	Tack cleats on port and starboard bows	600	0	-
≡ OPT 43 NA007	LINE DRIVER dinghy lift with remote control to replace standard manual system	2 990	1	2 990

SAFETY				
■ OPT 43 SE001	Safety equipment for 8 people French standard according to inventory	998	0	-
■ OPT 43 SE002	Liferaft 8 PAX	1 990	0	-
■ OPT 43 SE003	3.1m Alu/Hypalon dinghy with 6hp outboard engine	7 490	0	-

SERVICES				
■ OPT 43 SR001	Masting, launching and commissioning in La Rochelle	4 900	1	4 900
■ OPT 43 SR002	Name of boat and home port	300	0	-
■ OPT 43 SR003	Export charges	350	0	-

■ OPT 43 SR004	Dismantling tax (French boats only) :	964	1	964
----------------	---------------------------------------	-----	---	-----

Fabrics & colours				
■ OPT 43 CO004	Interior ambience: a - Soft b - Coloured	Soft	a	Standard
■ OPT 43 CO005	Upholstery : a - Carbon Beige b - Dark Taupe	Carbon Beige	a	Premium Pack
■ OPT 43 CO006	Laz-bag & UV protection strips : a - NEEL red b - Silver 5085	NEEL Red	a	Premium Pack
■ OPT 43 CO007	Spinnaker : a - NEEL red b - White	NEEL Red	a	OPT 43 NA002 OPT 43 NA003

Terms of delivery
Expected delivery date
Validity of the offer

€ TOTAL EXCL.	395 000,00 €
20% VAT	79 000,00 €
€ TOTAL NET INCL. TAX	474 000,00 €

Products sold with retention of title. Orders will be fulfilled in accordance with the special conditions and the general conditions of sale (see in particular the retention of title clause). "This order form reflects the outcome of a discussion between the customer and the yard to define the type of vessel and its level of equipment".

Date :

Place:

Signatures: **CLIENT**