

Tiara
YACHTS

3 6 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JULY 29, 2007

3600 OPEN

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
36'5" - 11.0 meters

L.O.A. with Standard Pulpit ...
38'11" - 11.9 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 41'5" - 12.62 meters

Beam ... 13'3" - 4.04 meters

Draft (with Props) ... 3'5" - 1.04 meters

Approximate Dry Weight ...
19,100 lbs. - 8,663.6 kg

Height from Waterline to Top of
Windshield...8'9" - 2.67 meters

Height from Waterline to Top of
Optional Hardtop...9'10" - 2.99 meters

Standard Fuel Capacity ...
400 U.S. gallons - 1,514 liters

Sleeping Accommodations ... 5

Water Capacity ...
70 U.S. gallons - 265 liters

Holding Tank Capacity ...
30 U.S. gallons - 113.56 liters


Cockpit Size ...
Upper: 56 sq. ft. - 5.2 sq. meters
Lower: 72 sq. ft. - 6.7 sq. meters

Deadrise at Transom ... 18°

STANDARD EQUIPMENT

HULL, DECK AND UPPER COCKPIT

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended premium resin
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to hull
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside ventilation
- Bennett Marine® 12V hydraulic recessed trim tabs
- Black gelcoat bootline with gold accent
- Six (6) S.S. oval custom opening port lights with screens
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Molded-in fiberglass bow pulpit with S.S. roller system



- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm
- Flush forward anchor rode locker with overboard drain
- One (1) 8" S.S. foredeck cleat
- One-piece welded, 316L S.S. bow rail with pulpit, staff, and Tiara burgee
- Two (2) 10" 316L S.S. spring cleats
- Four (4) 12" 316L S.S. cleats for bow and stern lines
- Two (2) cockpit fender cleats
- Black rubrail with 316L S.S. cap
- Three (3) flush cast aluminum and acrylic forward deck hatches with adjusters and built-in Ocean Air® screens and privacy covers
- Tiara custom curved composite windshield with tempered safety glass, safety handrails, opening center section and 3 washers/wipers
- Tiara hinged helm console with full flush mount electronics capability
- 12V outlet at helm
- Acrylic sliding companionway door with lock, built-in screen, and privacy cover
- Fiberglass companion door shroud with molded-in navigation chart area and drink holders
- Upper cockpit cool air helm blower
- Drop-down engine room access hatch from the upper cockpit
- Helm seat forward with center wet bar, storage below, and aft facing seat. Helm seat is electrically actuated fore and aft.
- Port curved companion seat with jump seat, cooler, storage, and aft facing seat
- 120V outlet
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and 4 cockpit speakers. Includes Clarion® iPod® interface.
- Helm/console and seat covers

LOWER COCKPIT

- Fiberglass covering boards
- Cockpit coaming bolsters
- Two (2) chrome bronze corner hawse pipes
- Molded-in transom door and gate
- Molded-in cockpit steps, port and starboard
- Transom fold-down lounge
- Cockpit LED courtesy lights
- Self-draining cockpit with scupper drains
- Dockside water inlet
- Fresh water washdown outlet with 25 ft. coiled blue hose
- Raw water washdown outlet with 25 ft. coiled yellow hose
- Cockpit shower, hot and cold water
- Two (2) flush floor storage boxes
- Aluminum backing plate, 24" x 24", laminated in cockpit floor, port side of fuel access hatch
- 120V outlet

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- 12V lighting
- 120V outlets throughout

SALON

- Starboard U-shaped dinette with seating for 4-5, table with high gloss finish, and storage compartments below. Converts to single upper/lower berth and/or double lower berth with a backrest cushion serving as a filler cushion.

- Fiberglass companionway steps with teak hardwood tread and storage compartments below
- S.S. companionway handrail
- Overhead storage cabinets
- Majestic® 15" LCD TV with game port
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat
- Bose® 3-2-1 media system, includes DVD/CD player

GALLEY

- Corian® countertop
- Stainless steel undermount sink
- Recessed two-burner electric cooktop
- Exhaust fan
- Microwave oven
- 4.6 cu. ft. DC refrigerator with freezer
- Upper storage cabinets
- Under counter storage

MASTER STATEROOM

- Double pedestal berth with inner spring mattress, quilt, 2 pillow shams, and 6 throw pillows. Storage compartments under berth with manual actuator.
- Majestic® 15" flat screen LCD TV
- 12V DVD player
- Cable TV/phone outlet
- Port locker with 2 storage compartments
- Starboard hanging locker, cedar lined
- Hullside shelves and upper hullside storage cabinets, port and starboard
- Two reading lights, independently switched


HEAD

- Corian® countertop with integrated sink
- Storage compartment below sink
- Mirrored vanity above sink
- Full frame wood doors
- Vacuflush® toilet with holding tank
- Full fiberglass head and shower curtain and shower sump pump
- Ventilation blower (drawing from salon)
- Exhaust fan

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system with master distribution panel
- Two (2) 120V 30 amp 65' shore power cords with 30 amp to 15 amp adapter
- Cable TV/phone inlet and cabin outlets with 65' shore power cord
- TV and AM/FM antennas
- Charles® battery charger (1), 50 amp
- 12V two bank battery system with batteries and battery switches (2 engine batteries and 3 house batteries)
- Battery parallel system
- Reverse polarity indicator
- High output 100 amp alternators
- Electrical bonding system
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system with 20" S.S. destroyer wheel
- Bronze axe head rudders and struts

- Aquamet® S.S. prop shafts, 1 1/2" Crusader®, 1 3/4" Cummins® 380, 2" Cummins® 425
- Water cooled shaft logs with PSS® dripless shaft seal
- Two (2) Nibral® propellers
- Zincs, transom and shafts
- Engine instrumentation: Dual VDO® tachometers w/ hour meters, voltage gauges, fuel gauge, temperature gauges, engine oil pressure gauges, and rudder angle indicator. Cummins® engine options include the Smartcraft™ VesselView™ engine monitoring system/display and fuel, voltage, & rudder angle indicator gauges only.
- Ritchie® 5" SS-2000 Navigator compass
- Three (3) windshield wipers with washers
- Fresh water cooling, main engines
- Engine room insulation
- Racor® fuel filters/water separators (2), diesel only
- Raw water intake strainers (2)
- 12V engine room lights
- Electric engine hatch actuators
- Twin Vernay® mufflers
- Two (2) bilge blowers
- Three (3) automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: 1 forward, 1 mid, and 1 aft
- Composite fuel tank with electric gauge, 400 gallons
- Fresh water tank, 70 gallons
- Water heater with exchanger, 6 gallons
- Fresh water tank/holding tank monitor
- Air horn
- FE-241 agent fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Carbon monoxide detectors (2)
- Smoke detectors (2)
- Six (6) 5/8" x 30' black dock lines
- Coast Guard Safety and Medical Kit
- Tiara Life Vests (4)
- NMMA Yacht Certification
- U.S.C.G. and International lighting
- U.S.C.G. and B.I.A. ventilation
- CE (European) Certification available for European Union countries



3 6 0 0 O P E N

ENGINE GROUP

- ▷ Twin Crusader® 8.1L MPI Gas, 385 H.P. (with Electronic Synch/Cruise)
- ▷ Twin Cummins® QSB5.9 Diesels, 380 H.P. (with Smartcraft™ VesselView™)
- ▷ Twin Cummins® QSB5.9 Diesels, 425 H.P. (with Smartcraft™ VesselView™)

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Sun Fabric - Optional

- ▷ Sand Castle ▷ Indigo Bay
- ▷ Aqua Coast

Corian®

- ▷ Fossil ▷ Prairie
- ▷ Gray Fieldstone

Ultraleather™ / Suede

(Note: These combinations will be used unless otherwise specified)

- ▷ Chamois/Khaki ▷ Straw/Sorbet
- ▷ Almond/Sand

EXTERIOR COLOR SELECTIONS

- ▷ Helm Console & Dash Color N/C
 - ▷ Charcoal Gray
 - ▷ Flag Blue
 - ▷ Black
 - ▷ Beige
- ▷ Helm Console, Dash & Interior of Windshield Frame Color N/C
 - ▷ Charcoal Gray
 - ▷ Flag Blue
 - ▷ Black
 - ▷ Beige
- ▷ Custom Color Bootline with Gold Accent (Please Specify Color Below - Black with Gold Accent is Standard) 1,690
 - ▷ _____
- ▷ Hull Color (Please Specify Color Below - Fresh White is Standard) 7,880
 - ▷ _____
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar 2,880
 - ▷ Black
 - ▷ Navy Blue

OPTIONAL EQUIPMENT

HULL, DECK, & COCKPIT GROUP

- ▷ Cockpit Carpet (Charcoal)
 - ▷ Upper cockpit only 495
 - ▷ Upper & lower cockpit 960
- ▷ 30" Swim Platform w/Built-in Ladder 3,500

- ▷ Underwater Lights (2), Xenon 12V 35W 3,480
- ▷ Ice Maker for Helm Seat Locker (in lieu of Center Storage) 2,280
- ▷ Refrigerator for Helm Seat Locker (in lieu of Center Storage) 1,600
- ▷ Curved Companion Seat with Cooler and Forward Swivel Seat 2,820
- ▷ Upper Cockpit Table
 - ▷ Curved Companion Seat 860
 - ▷ Curved Companion Seat/Swivel 660
- ▷ Clarion® 6 Disc Changer (for Standard Clarion® Cockpit Stereo) 720

MECHANICAL GROUP

- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC 4,420
- ▷ Generator, Gas (Westerbeke® 5.0BCG 120V60Hz / 4.2BCG 220V/50Hz) 14,800
- ▷ Generator, Diesel (Westerbeke® 5.0kw 120V60Hz/ 4.0kw 220V50Hz) 15,300
- ▷ ACR® RCL100 Remote Spotlight 2,280
 - ▷ Bow ▷ Hardtop
- ▷ Glendinning® Electronic Engine Controls (Cummins® only) 10,600
- ▷ Trolling Valves w/ Std. Mechanical Controls 10,600
- ▷ Trolling Valves w/ Electronic Controls (Must Order Electronic Control Option) 6,900
- ▷ Oil Changing System 1,600
- ▷ Fresh Water Washdown for Anchor Locker 470
- ▷ Raw Water Washdown for Anchor Locker 470
- ▷ Macerator System for Head 1,380
- ▷ Raymarine® Electronics Package
 - ▷ Option 1 26,600
 - ▷ Option 2 23,600
 - 2 - E80 8.4" Multi Function Color Displays (Option 1)
 - 1 - E120 12.1" Multi Function Color Display (Option 2)
 - RS125 Raystar GPS Antenna
 - Ray 240 VHF Radio
 - DSM300 Digital Sounder Module
 - Speed, Depth, Temperature Transducer
 - ST60 Graphic Display
 - ST6001 S2G Smart Pilot Autopilot
 - 4kw Open Array

INTERIOR GROUP

- ▷ Premium Sun Interior Fabric 1,450
- ▷ Solid Teak and Holly Cabin Sole 1,280

TOURNAMENT SERIES OPTIONS



- ▷ TTS Hardtop w/ Rod Holders, Spreader Lights, 2 Composite Hatches, and Front & Side Enclosures 23,700
- ▷ Rupp® 26 ft. Outriggers, Tournament Hardtop 6,920
- ▷ Rod Holders in Gunnels, Lee® (4) 560
- ▷ Rupp® Rocket Rod Holders (4), Outboard on Tournament Hardtop Only (2 Port/2 Starboard) 640
- ▷ Rod Holders (4) in Deck Wings, Cruise Hardtop Only 860
- ▷ Aluminum Bow Rail (in lieu of Standard Stainless Steel Bow Rail) 1,660
- ▷ Bait Prep Center (in lieu of Aft Facing Seat on Curved Companion Lounge) 4,520
- ▷ Port Gunnel & Rod Storage Locker 930
- ▷ Stbd Gunnel & Rod Storage Locker 930
- ▷ Macerator for Standard Cockpit Flush Floor Storage Boxes 660
- ▷ Transom Baitwell, 36 gallons (in lieu of Standard Transom Fold-Down Lounge) 1,580
- ▷ Rod Storage for 4 Rods Under Pedestal Berth 240

WEATHER GROUP

- ▷ Stamoid® Canvas Color:
 - ▷ White ▷ Sand
- ▷ Cruise Hardtop w/ Front & Side Enclosures and 2 Hatches w/ Built-In Ocean Air® Privacy Covers and Screens 18,980
- ▷ Aft Curtain 1,820
- ▷ 3 Piece Drop Curtain 1,820

MISCELLANEOUS OPTIONS

- ▷ Cradle 3,400
- ▷ Spare Props (pr)
 - ▷ Gas 4,520
 - ▷ Diesel 5,200
- ▷ Spare Prop Shaft & Coupling
 - ▷ Gas 1,700
 - ▷ Diesel 3,500
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET
HOLLAND, MI 49423-5392
USA
616-392-7163
FAX 616-394-7466
www.tiarayachts.com