

# 2007 CABO® 45 Express Sportfisher

## CABO Yachts

September 1, 2006

---



Specifications  
Standard Equipment  
Option List

# 2007 CABO® 45 Express Sportfisher

## CABO Yachts

### Specifications - Standard Equipment List

September 1, 2006

---

#### Hull

---

Bi-axial stitched fabric reinforcement  
Boot striping - choice of colors  
Bottom paint complete preparation - 2 coats epoxy, 2 coats anti-fouling paint, black standard  
Core-cell core from knuckle to sheer, vacuum bagged  
Hull finished inside with white polyester gelcoat  
Molded fiberglass construction with superior ISO/NPG gelcoat finish and premium vinylester resins throughout  
Solid fiberglass bottom construction  
Stainless steel rub strip on face of white high density PVC rub rail  
Trim tabs, fully recessed

---

#### Deck

---

Custom anchor roller assembly  
Custom spring line cleats (4)  
Forward mooring cleats (2), stainless steel  
Molded fiberglass using polyester resin, bi-axial stitched fabric reinforcement and vacuum bagged core-cell construction  
Molded-in non-skid surface  
Premium quality molded-in white gelcoat finish  
Saltwater wash down forward in custom molded locker  
Stern cleats, stainless steel  
Stern hawse pipes, stainless steel  
Windlass, DC electric remote switch at helm and deck switches  
Windshield washers (3), fresh water supplied  
Windshield wipers, (3) self parking with heavy duty pantograph arms  
Windshield, tinted, heavy welded aluminum, construction finished, includes electrically actuated vent

---

#### Cockpit

---

Aluminum reinforcing plate installed for mounting fighting chair  
Bait prep center port side includes tackle storage, sink, rigging board, insulated ice box ready for optional refrigeration, lockers fitted with custom lid, stainless steel gas spring actuator, full length stainless steel piano hinge and lockable custom flush latches  
Bait tank, 48 gallons, molded into transom  
Cockpit scuppers  
Courtesy lighting under gunwales  
Door to engine room with ladder from cockpit  
Fish boxes, large capacity, insulated with macerator pump out system  
Gunwale padding, high density foam, white vinyl covered, mounted on tough 1/2" polyethylene backing board  
Hatches, lazarette and fish boxes (2), heavy duty with gaskets and piano hinges  
Rod-gaff racks starboard  
Rod holders (5)  
Storage boxes under gunwale (2)  
Transom door with top gate, extreme duty polished stainless steel hardware  
Washdown, fresh water, starboard side  
Washdown, salt water, port side

---

#### Helm Deck

---

"L" shaped lounge port side and aft with lockable rod storage below  
Large tackle cabinet and storage area to starboard with ice maker area  
Molded fiberglass helm deck with large removable engine service hatch  
Sliding companion way door and fiberglass sea hood  
Stereo speakers with volume control  
Stidd helm seat, adjustable with vinyl-covered high density foam cushions, pedestal mount  
Stidd matching companion seat mounted on starboard cabinet

---

#### Helm Console

---

Canvas console cover  
Chromed bronze helm wheel  
Compass with light, flush mounted  
Complete custom engine instrument panel with audible warning system and hour meters  
Custom switch panel  
Fire and bilge water level alarms, audible  
Navigation and electronics panel  
Palm Beach pod mounted single lever electric controls

---

#### Mechanical

---

Bilge pumps, four automatic/manual and one automatic  
Bonding system with transom zinc plate  
Braided hose sleeves on all nylon hydraulic lines  
Bright white bilge and engine room, gelcoat finish  
Bronze high speed water intake scoops with integral sea water strainers  
Double constant torque stainless steel clamps on engine exhaust hoses  
Double hose clamps on all hose fittings where possible, stainless steel  
Electric fuel priming pumps  
Electronic controls with engine synchronizer, trolling valves and backup controls  
Engine alarm system  
Engine driven emergency bilge pump Y-valve on one engine  
Engine room blowers (2) DC  
Engine room ventilation fan, AC  
Fire extinguishing system, automatic  
Fresh water cooling on main engines  
Fresh water hose bib, quick disconnect  
Fresh water pump, AC, with backup fresh water pump, DC  
High water bilge alarms (3)  
Holding tank, with warning lights, macerator and dockside discharge  
Metal braided fire-retardant fuel lines  
Oil change system, mains, generator and transmission  
Power steering  
Propeller shafts, high strength stainless steel, 2.5 inch diameter, double taper, couplers  
Propellers, 4 blade nibral  
Rudders, high strength bronze, installed with high-load bearings insuring low friction and precise control  
Sea cocks, UL approved for marine application, bronze, fitted on all thru-hulls below water line  
Stuffing boxes, drip less lip seal type  
Water heater, stainless steel, AC, 11 gallon

# 2007 CABO® 45 Express Sportfisher

## CABO Yachts

### Specifications - Standard Equipment List

September 1, 2006

---

#### Electrical

---

10 KW freshwater-cooled diesel generator with sea-water strainer, remote start and gauge panel, water lift muffler, safety shut down system  
50 ft. shore power cord with retractable Glendinning cable master, 220V, 50 amp  
Battery charger, 50 amp with thermal cut out  
Battery on/off switches, vapor proof  
Bonding system  
Cable television connection  
Central vacuum  
Custom AC electrical distribution panel with line voltage and load meter, reverse polarity light  
Custom DC electrical distribution panel with battery voltage and load meters  
Electronic supply at helm, 24 VDC and 12 VDC at 50 amps  
Engine room lights, DC and AC  
Ground fault circuit interrupter receptacles protected throughout boat  
Horn, dual air trumpet. Horn compressor-installed, dual air trumpets-not installed  
Interior lighting, DC and AC  
Navigation lights, International, shipped uninstalled for future mounting on arch, hardtop or tower  
Telephone shore connection with one outlet, salon

---

#### Main Cabin

---

AC duplex outlet/GFI protected  
Access hatch to galley to below deck equipment space  
Air conditioning/heat, dual zone, 16,000 BTU, AC  
Custom entertainment center with Bose Lifestyle 38 system AM/FM/CD/DVD  
Deck hatch with retractable shade  
Deep pile carpet  
Designer interiors, high quality selection available  
Flat screen television  
Interior wood, teak, superbly joined and finished  
Lighting, DC and AC  
Port lights (2), port side  
Positive latches used on cabinet doors and drawers  
Pull out double hide-a-bed beneath aft settee  
Upgraded ultra nylon fabrics on saloon settee

---

#### Galley

---

AC duplex outlet/GFI protected  
Ceramic cook top, two burner, recessed with Corian cover  
Corian counter top with custom Corian sea rails  
Counter top lighting - recessed halogen AC  
Freezer chest 4.5 cu. ft.

Garbage disposal  
Microwave/convection oven  
Positive latches used on cabinet doors and drawers  
Pull out stainless steel rack shelves  
Sink, deep/custom  
Storage compartments and drawers throughout  
SubZero refrigerator with pull out drawers  
Trash storage compartment

---

#### Forward Stateroom

---

AC duplex outlet/GFI protected  
A/C controls with 7,000BTU capacity  
Access to anchor rope locker  
Custom built-in TV  
Drawers operate on sliders  
Flush mount clock  
Fore deck hatch with retractable shade  
Hanging lockers, port and starboard cedar lined  
Island double bed with 5" mattress, coverlets  
Port and starboard rod storage locker for up to 8 rods  
Positive latches used on cabinet doors and drawers  
Recessed halogen lights, AC and DC  
Stereo speaker with volume control  
Storage compartments and large drawers below bed

---

#### Port Side Second Stateroom

---

*\*Must choose double stateroom option*  
Air conditioning with slave control  
Dresser with custom wall mounted mirror  
Overhead lighting, AC and DC  
Reading lights, DC  
Two single berths

---

#### Head Compartment

---

120 volt duplex outlet/GFI protected  
Corian counter top, custom with Corian sink  
Custom vanity with storage cabinet  
Designer faucets and shower fixtures  
Head, Sealand Vacuflush electric  
Lighting, DC and AC  
Mirror  
Positive latches used on cabinet doors and drawers  
Separate stall shower with automatic shower sump pump  
Toiletry storage cabinet, Corian framed with sliding mirror doors  
Ventilating hatch in deck

---

#### Safety Equipment

---

Anchor, 20' chain, 250' rode, life jackets, throwable P.F.D., fire extinguisher, docklines, fenders, distress signaling device, flashlight, emergency horn, first aid kit, bell.

Prices and specifications subject to change without notice.  
Prices F.O.B. Adelanto, CA

# 2007 CABO® 45 Express Sportfisher

## CABO Yachts

### Option List

September 1, 2006

---

#### Specifications

---

|                                       |           |
|---------------------------------------|-----------|
| Length overall (including bow pulpit) | 48'-1"    |
| Hull length                           | 45'-1"    |
| Beam (extreme)                        | 15'-8"    |
| Draft                                 | 4'-6"     |
| Transom deadrise                      | 11 1/2°   |
| Dry weight                            | 33,000 lb |
| Fuel                                  | 800 gal.* |
| Water                                 | 100 gal.* |
| Cabin headroom                        | 6'-8"     |
| Berths                                | 4-6       |

\*Approximate measure

---

#### Engine Options

---

Twin MAN R6-800CRM, 800 HPm, 12.8 L (781 cu.in.), in-line 6 cylinder, 4 cycle, 2300 RPM, common rail injection, turbocharged and after cooled, fresh water cooled marine diesel engines. ZF 325-1A transmissions with trolling valves. MAN electronic controls with synchronizer and trolling valve control. MAN color electronic display.

Twin MTU Series 60, 833 HPm, 14.0 L (855 cu.in.), in-line 6 cylinder, 4 cycle, 2300 RPM, DDEC electronically controlled injection, turbocharged and after cooled, fresh water cooled marine diesel engines. TD 5114A transmissions with trolling valves. DDEC electronic controls with synchronizer and trolling valve control. Backup control panel. DDEC electronic display.

Twin MAN V8-900CRM, 900 HPm, 14.6 L (892 cu.in.), V-8 cylinder, 4 cycle, 2300 RPM, common rail injection, turbocharged and after cooled, fresh water cooled marine diesel engines. ZF 350A transmissions with trolling valves. MAN electronic controls with synchronizer and trolling valve control. Backup control panel. MAN color electronic display.

#### High Performance Package

Twin Caterpillar C18, 1015 HPm, 18.1 L (1106 cu.in.), in-line 6 cylinder, 4 cycle, 2300 RPM, Mechanical Electronic Unit Injection (MEUI), turbocharged and after cooled, fresh water cooled, marine diesel engines. ZF 510A transmissions with trolling valves. Caterpillar electronic controls with synchronizer and trolling valve control. Backup control panel. Caterpillar Marine Power display. 2.75" shafts.

Twin MAN V10-1100CRM, 1100 HPm, 18.3 L (1115 cu.in.), common rail injection, turbocharged and after cooled, fresh water cooled marine diesel engines. ZF 510A transmissions with trolling valves. MAN electronic controls with synchronizer and trolling valve control. Backup control panel. MAN color electronic display. 2.75" shafts.

---

#### Interior Options

---

Teak and holly sole in lieu of carpet  
Alternate color Corian counter in galley  
Alternate color Corian counter in both heads  
Alternate color Corian floor in both heads  
Single stateroom or double stateroom  
Sheet set - single stateroom or double stateroom

---

#### Interior Fabric Upgrade

---

Leather sofa (finest full grain)

---

#### Sportfishing Options

---

Freezer plate, AC, in cockpit ice box  
Refrigeration plates, AC, installed in cockpit fishbox  
Window in bait tank

---

#### Generator Upgrades\*

---

12.6 KW Westerbeke freshwater-cooled diesel generator with seawater strainer, remote start and gauge panel, water muffler, safety shutdown system with sound shield  
15 KW Westerbeke freshwater-cooled diesel generator with seawater strainer, remote start and gauge panel, water muffler, safety shutdown system with sound shield

\*Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.

---

#### General Options

---

Hull color other than white\*  
Rails, West coast style, polished stainless or aluminum  
Rails, East coast style, polished stainless or aluminum (standard)  
Swim platform (fiberglass)  
Swim platform ladder, stainless steel  
Double Stidd helm chair  
Ice maker in helm deck starboard cabinet

\* Cabo Yachts limited warranty does not cover or extend to any gelcoat finishes. Colored gelcoat finishes are susceptible to fading.

See order form for pricing

# 2007 CABO® 45 Express Sportfisher

## CABO Yachts

### Option List

September 1, 2006

---

#### Mechanical and Miscellaneous Equipment

---

Hot and cold hand held shower in cockpit

Helm deck, A/C - 30,000 BTU

450 gallon per day reverse osmosis Sea Recovery® water maker

700 gallon per day reverse osmosis Sea Recovery® water maker (available with MAN engines only)

Electronic engine gauge panel in engine room

Auxiliary, 12VDC distribution panel for electronics

Propsmith™ propeller installation and removal tool

Cockpit controls

Reverso fuel polishing system

---

#### Special Instructions

---

---

#### Interior and Color Selections

---

Hull color: \_\_\_\_\_

Boot stripe color: \_\_\_\_\_

Bottom paint color: \_\_\_\_\_

Interior selection: \_\_\_\_\_

Corian color, if not standard (Fossil): \_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_




Cabo 45 Express


Cabo 45 Express  
Shown with custom tower



Deck Plan



Single Stateroom Plan



Double Stateroom Plan