

TOY[®]36 *fly*



WWW.TOYMARINE.IT

ToY[®]36

ToY[®]36
fly

ToY[®]47
tender

ToY[®]51

ToY[®]68

ToY[®]36
fly



LUNA



Il Toy 36 Fly è stato pensato per due coppie di amici o per genitori con figli che vogliono uscire in mare durante il weekend o godersi brevi crociere. Si distingue per il design armonico, di impostazione classica ma ripensato in ogni curva, senza riprendere banalmente linee già viste. Materiali e componenti e ogni altro dettaglio sono stati scelti per integrarsi nel design generale e molti dei particolari sono custom. Sicurezza, comodità e facilità d'uso sono gli obiettivi raggiunti grazie ai considerevoli investimenti in ricerca e sviluppo.

The Toy 36 Fly is designed for two couples or parents with children interested in weekend outings or short cruises. It stands out for its harmonious design, with a classic stamp but with every curve revised, for it is no banal copy of lines already seen. Materials, components and every single detail have been chosen to fit in with the overall design and many of the details are custom made. Safety, comfort and ease of use are objectives that have been attained thanks to considerable investments in research and development.

La costruzione è in composito a sandwich (certificato CE). I comparti di prua e di poppa sono stagni per una sicurezza totale. La dotazione di serie di un generatore garantisce un inesauribile rifornimento di corrente elettrica, tale da consentire l'installazione di una cucina elettrica con piastre in vetroceramica, molto sicura ed efficiente, salpancore e scaldabagno elettrico, frigo e freezer per un volume complessivo di 110 litri, oltre a gps plotter, vhf, stereo e cd player. Sono inoltre disponibili pilota automatico, dissalatore, bow thruster, radar e aria condizionata.

Construction is in sandwich composites (EC certified). The bow and stern compartments are watertight to ensure complete safety. A generator fitted as standard guarantees unlimited electric power and permits the installation of a very safe and efficient electric cooker with pyroceram hobs, an anchor windlass and electric water heater, fridge and freezer with a combined volume of 110 L, in addition to a GPS plotter, VHF, stereo and CD player. Also available are an automatic pilot, desalinator, bow thruster, radar and air conditioning.









Sopra, alcuni dettagli di allestimento della coperta: la portella dello specchio di poppa permette un facile accesso alla plancetta da bagno che si trova sullo stesso livello del ponte del pozzetto; il parabrezza apribile garantisce un ricircolo d'aria ottimale alla zona della dinette. A destra, il comodo accesso ai motori facilita qualsiasi attività di ispezione e manutenzione. Nella pagina accanto, il Toy 36 Fly in planata, a 32 nodi. Due motori Yanmar da 320 hp (standard) consentono spostamenti veloci, mentre la carena a V profondo assicura stabilità di rotta anche con mare formato.

Above are some details of the deck fittings: the transom door gives easy access to the bathing platform which is on the same level as the cockpit deck; the windscreen opens to ensure optimal air circulation in the dinette. Right: easy access to the engines facilitates all inspection and maintenance activities. Facing page: the Toy 36 Fly planing at 32 kn. Two 320 (standard) hp Yanmar engines permit fast voyages, while the deep V hull ensures course stability even.



La continua ricerca per il miglioramento delle nostre barche, potrà portare variazioni alle specifiche tecniche.
In our continuing quest to improve our boats, variations to the technical specifications might be implemented.



HULL LENGHTS
11,00 mt _ 36.1 ft

L.O.A.
11,65 mt _ 38.2 ft

L.W.L.
9,96 mt _ 32.7 ft

BEAM
3,80 mt _ 12.5 ft

MAX DRAUGHT
0,90 mt _ 2.9 ft

DISPLACEMENT
8 tons hl

ENGINES
Yanmar 2x370 hp

CRUISING SPEED
26 knots

MAX SPEED
33 knots

RANGE
cruising speed 300 nm



Toy Marine s.r.l.
Zona Porto 2/3
17100 Savona · Italia
tel +39 019.800.757 · fax +39 019.825.802
info@toymarine.it · www.toymarine.it